

Online Supplementary Table 1. Plant material that reached Cienfuegos Botanical Garden through *Utowana* expeditions

Species / Number of individuals currently grown in Cienfuegos Botanical Garden ¹	Date of registration of accession in Cienfuegos Botanical Garden	Provenance / Native distribution / USDA accession number / David Fairchild collection number / Plot location in the living collections of Cienfuegos Botanical Garden ²	<i>Utowana</i> expedition to the Caribbean that delivered material directly to Cienfuegos Botanical Garden ³
<i>Acanthorhiza aculeata</i> (Mart.) H.Wendl. [<i>Cryosophila nana</i> (Kunth) Salomon], Arecaceae / 2 (0)	6-Mar-1933	Grenada Botanic Garden; 10-Feb-1932 ⁵ / Mexico / <u>97539</u> / Fairchild 2797 / 15EI, 16EIV	
<i>Acanthorhiza aculeata</i> (Mart.) H.Wendl. [<i>Cryosophila nana</i> (Kunth) Salomon], Arecaceae / 2 (0)	14-Apr-1929	Trinidad Botanic Garden ⁴ / Mexico / - / - / 13EII, 16EII	Barbour 1929
<i>Actinophloeus macarthurii</i> (H.Wendl. ex H.J.Veitch) Becc. ex Raderm. [<i>Ptychosperma macarthurii</i> (H.Wendl. ex H.J.Veitch) H.Wendl. ex Hook. f.], Arecaceae / 5 (3)	17-Feb-1927	Peradeniya Botanic Garden, Sri Lanka ⁷ / New Guinea / - / Fairchild 254 / 13CIV, 13DI ³³	
<i>Adansonia digitata</i> L., Malvaceae / 4 (0)	10-Jan-1928	Georgetown, Gambia; 6-Jan-1927 ⁶ / Sub-Saharan Africa / <u>70895</u> / Fairchild 960 / 13DIII	
<i>Adenium obesum</i> (Forssk.) Roem. & Schult. / Apocynaceae / 3 (0)	31-Mar-1933	Hope Garden, Jamaica; 8-Mar-1933 ⁸ / Tropical Africa and Arabia / - / Fairchild 3033 / 14CIII	Fairchild 1933
<i>Aeranthus funalis</i> (Sw.) Rchb. f. ¹¹ [<i>Dendrophylax funalis</i> (Sw.) Rolfe], Orchidaceae / 1 (0)	31-Mar-1933	Grand Cayman; 29-Mar-1933 ^{9,10,12} / Jamaica / <u>102646</u> / Fairchild 3149 / Unknown	Fairchild 1933
<i>Agave acklinicola</i> Trel., Asparagaceae / 1 (0)	31-Mar-1933	Crooked Islands, Bahamas; 20-Feb-1933 ¹⁹ / Bahamas / <u>102647</u> / Fairchild 3012 / 14CII	Fairchild 1933
<i>Agave crassispina</i> Trel. [<i>A. salmiana</i> Salm-Dyck subsp. <i>crassispina</i> (Trel.) Gentry], Asparagaceae / 1 (0)	31-Mar-1933	Unknown / Mexico / - / - / 14CII	Fairchild 1933
<i>Agave indagatorum</i> Trel., Asparagaceae / 1 (0)	31-Mar-1933	San Salvador, The Bahamas; 18-Feb-1933 ¹⁹ / Bahamas / <u>102587</u> , <u>102621</u> / Fairchild 3004 / 14CII	Fairchild 1933
<i>Agave morrisii</i> Baker [<i>A. sobolifera</i> Houtt.], Asparagaceae / 1 (0)	17-Apr-1934	Jamaica; 11-Mar-1933 ¹² / Greater Antilles / <u>102277</u> / Fairchild 3059 / 14CII	
<i>Albizia acle</i> (Blanco) Merr., Fabaceae / 3 (2)	18-Mar-1928 ¹⁵	Tela, Honduras ^{13,14} / Vietnam, Philippines, Sulawesi / - / - / 12EI, 12EIII	Barbour 1928
<i>Albizia berteorana</i> (Balb. ex DC.) Fawc. & Rendle, Fabaceae / 1 (0)	30-Jul-1933	St. Vincent Botanic Garden, 4-Mar-1932 ⁵ / Greater Antilles / <u>97780</u> / Fairchild 2747 / 11BIII	
<i>Albizia caribaea</i> (Urb.) Britton & Rose, Fabaceae / 2 (2)	11-Feb-1933	Guyana Botanic Garden; 24-Feb-1932 ⁵ / Central and South America / <u>98978</u> / Fairchild 2965 / 11CII, 11EI	

<i>Albizia chevalieri</i> Harms, Fabaceae / 1 (0)	10-Jan-1928	Kudang, Gambia; 7-Jan-1927 ⁶ / West Tropical Africa to Chad / <u>70896</u> / <i>Fairchild 989</i> / Unknown	Dorsett 1928
<i>Albizia corbisieri</i> De Wild. [<i>A. ferruginea</i> (Guill. & Perr.) Benth.], Fabaceae / 1 (0)	28-Jan-1932	Coconut Grove, Florida; originally collected in Kudang, Gambia; 7-Jan-1927 ^{6,16} / Tropical Africa / <u>70896</u> / <i>Fairchild 989</i> / Unknown	
<i>Albizia sp.</i> , Fabaceae / 2 (2)	11-Feb-1933	Carriacou; 8-Feb-1932 ⁵ / Tropics and Subtropics / <u>97862</u> / <i>Fairchild 2795</i> / 12BIV, 12CI	
<i>Alchornea cordata</i> Benth. [<i>A. cordifolia</i> (Schumach. Thonn.) Müll. Arg., Euphorbiaceae / 2 (0)	10-Jan-1928	Jala Jungle, Sierra Leone; 20-Jan-1927 ⁶ / Tropical Africa / <u>72999</u> / <i>Fairchild 1131</i> / 5EI, 5FIV	Dorsett 1928
<i>Alpinia exaltata</i> (L. f.) Roem. & Schult. [<i>Renalmia alpinia</i> (Rottb.) Maas], Zingiberaceae / 1 (0)	30-Jul-1933	Market in Paramaribo, Suriname; 3-Mar-1932 ⁵ / Mexico to Tropical America / <u>97924</u> / <i>Fairchild 3676</i> / Unknown	
<i>Alpinia sp.</i> , Zingiberaceae / 1 (0)	11-Feb-1933	Grenada; 9-Feb-1932 ⁵ / Tropical and Subtropical Asia to Western Pacific / <u>97982</u> / <i>Fairchild 2919</i> / Unknown	
<i>Amorphophallus loerzingii</i> Alderw. [<i>A. prainii</i> Hook. f.], Araceae / 1 (0)	1928	Unknown / Southeastern Asia / - / - / Shade House	
<i>Annona cherimola</i> Mill., Annonaceae / 1 (0)	1-Jan-1928	Orotava Botanic Garden, Canary Islands; 23-Dec-1926 ⁶ / Central and South America / <u>72695</u> / - / 8CIII	Dorsett 1928
<i>Areca triandra</i> Roxb. ex Buch- Ham, Arecaceae / 2 (2)	Jan-1928	Peradeniya Botanic Garden, Sri Lanka; 1-Jan-1926 ^{6,9} / South America / <u>70777</u> / <i>Fairchild 258</i> / 13DII, 17CIV	Dorsett 1928
<i>Aristolochia ridicula</i> N.E.Br., Aristolochiaceae / 1 (0)	1927	Peradeniya Botanic Garden, Sri Lanka ⁷ / Brazil / - / <i>Fairchild 300</i> / Seboruco	
<i>Arrabidaea pachycalyx</i> Sprague [<i>Fridericia candicans</i> (Rich.) L. G. Lohmann], Bignoniaceae / 1 (0)	17-Apr-1934	Barro Colorado, Panama; 23-Mar-1933 ¹² / Mexico to Tropical America / <u>102592</u> / <i>Fairchild 3095</i> / 14DI	
<i>Artocarpus falcatus</i> Hort., Moraceae / 2 (2)	10-Jan-1928	Victoria Botanic Garden, Cameroon; 17-Feb-1927 ⁶ / West Africa / <u>74019</u> / <i>Fairchild 1186</i> / 13DI, 13EI	Dorsett 1928
<i>Artocarpus integrifolius</i> L. f. [<i>A. integer</i> (Thunb.) Merr.], Moraceae / 1 (0)	Jan-1926	Kandy, Sri Lanka; 20-Jan-1926 ⁷ / Thailand to New Guinea / <u>66696</u> or <u>66697</u> / <i>Fairchild 324</i> or <i>Fairchild 361</i> / Unknown	
<i>Artocarpus integrifolius</i> L. f. [<i>A. integer</i> (Thunb.) Merr.], Moraceae / 1 (0)	Jan-19 26	Kandy or Peniwaraka, Sri Lanka; 20-Jan-1926 ⁶ / Thailand to New Guinea / 60653 / <i>Fairchild 284</i> / Unknown	
<i>Asparagus sp.</i> , Asparagaceae / 1 (0)	30-Jul-1933	Nassau, The Bahamas; 9-Jan-1932 ⁵ / Africa, Australia, Europe / <u>96501</u> / <i>Fairchild 2574</i> / Unknown	
<i>Asystasia gangetica</i> (L.) Anderson, Acanthaceae / 1 (0)	3-Jun-1933	Guyana Botanic Garden; 24-Feb-1932 ⁵ / India to Australia / <u>97926</u> / <i>Fairchild 2964</i> / Unknown	
<i>Attalea butyracea</i> (Mutis ex L. f.) Wess. Boer [<i>A. macrocarpa</i> (H. Karst.) Wess. Boer], Arecaceae / 1 (0)	1929	Trinidad Botanic Garden ⁴ / Mexico and South Tropical America / - / - / 13DI	Barbour 1929
<i>Attalea butyracea</i> (Mutis ex L. f.) Wess. Boer [<i>A. macrocarpa</i> (H. Karst.) Wess. Boer], Arecaceae / 1 (1)	10-Jan-1928	Buitenzorg Botanic Garden, Java / Mexico and South Tropical America / <u>70757</u> / - / 13DI	Dorsett 1928

<i>Attalea cohune</i> Mart., Arecaceae / 1 (0)	17-Apr-1934	St. Vincent Botanic Garden; 4-Feb-1932 ⁵ / Mexico to Colombia / <u>97542</u> / <i>Fairchild</i> 2746 / 13DI	
<i>Attalea spectabilis</i> Mart., Arecaceae / 1 (0)	11-Feb-1933	Trinidad Botanic Garden, 13-Feb-1932 ⁵ / Brazil / <u>97543</u> / <i>Fairchild</i> 2840 / Unknown	
<i>Averrhoa bilimbi</i> L., Oxalidaceae / 1 (1)	1929	St. Vincent ¹⁷ / Malaysia / - / - / 12CI ³³	Barbour 1929
<i>Bactris</i> sp., Arecaceae / 1 (1)	31-Mar-1933	Coconut Grove, Florida; C.A. Cook 247 ¹⁶ / Mexico to Tropical America / - / - / 16DIV	Fairchild 1933
<i>Balanites aegyptiaca</i> (L.) Delile, Zygophyllaceae / 2 (2)	10-Jan-1928	Market in Dakar, Senegal; 17-Mar-1927 ⁶ / Africa, Israel to Arabian Peninsula / <u>73921</u> / <i>Fairchild</i> 1288 / 10CIII	Dorsett 1928
<i>Bambusa blumeana</i> Shult. & Shult.f., Poaceae / 3 (0)	Mar-1928	Tela, Honduras; originally collected in Lucknow, India ¹³ / Tropical Asia / <u>51361</u> / - / 14DI, 13EII ³³	Barbour 1928
<i>Bambusa tulda</i> Roxb., Poaceae / 1 (0)	Mar-1928	Tela, Honduras ¹³ / Himalaya to Indo-China / - / - / Unknown	Barbour 1928
<i>Barringtonia asiatica</i> (L.) Kurz, Lecythydaceae / 1 (0)	11-Feb-1933	St. Vincent and Grenada Botanic Garden; 5-Feb-1932 ⁵ / Tanzania, Indian Ocean to Pacific / <u>97975</u> / <i>Fairchild</i> 2803 / Unknown	
<i>Barringtonia speciosa</i> J.R.Forst. & G.Forst. [<i>B. asiatica</i> (L.) Kurz], Lecythydaceae / 2 (0)	14-Apr-1929	Trinidad Botanic Garden ⁴ / Tanzania to Indian and Pacific Ocean / - / - / 12CIII, 14DIV	Barbour 1929
<i>Bauhinia vahlii</i> (Wight & Arn.) Benth., Fabaceae / 1 (0)	30-Jul-1933	Trinidad Botanic Garden; February 1932 ⁵ / India / <u>98803</u> / <i>Fairchild</i> 2827 / Unknown	
<i>Begonia macrophylla</i> Lam. [<i>B. obliqua</i> L.], Begoniaceae / 1 (0)	30-Jul-1933	Roseau, Dominica ⁵ / Lesser Antilles / <u>97836</u> / <i>Fairchild</i> 2924 / Shade House	
<i>Begonia magnifica</i> (Klotzsch) Linden [<i>B. ferruginea</i> L. f.], Begoniaceae / 1 (0)	7-Mar-1933	Peradeniya Botanic Garden, Sri Lanka; 9-Jun-1926 ⁶ / Colombia to Northwestern Venezuela / <u>76488</u> / <i>Fairchild</i> 883 / Shade House	
<i>Berrya cordifolia</i> Burret, Tiliaceae / 3 (1)	14-Apr-1929	Dominica ¹⁷ / Philippines / - / - / 9CIV, 9DIV, 10CIII	Barbour 1929
<i>Bignonia</i> sp., Bignonaceae / 1 (0)	30-Jul-1933	Grenada Botanic Garden; 7-Feb-1932 ⁵ / USA to Argentina / <u>97951</u> / <i>Fairchild</i> 2810 / Unknown	
<i>Bletia patula</i> Hook., Orchidaceae / 1 (0)	17-Apr-1934	Citadelle Henri Christophe, Haiti; 27-Mar-1932 ⁵ / Southern Florida to Caribbean / <u>99045</u> / <i>Fairchild</i> 3897 / Shade House	
<i>Bletia purpurea</i> (Lam.) DC., Orchidaceae / 1 (0)	Feb-1931	The Bahamas ¹⁸ / West Indies, Mexico, Central and South America / - / - / Shade House	Barbour 1931
<i>Bombax buonopozense</i> P.Beauv., Malvaceae / 1 (1)	10-Jan-1928	Mamou, Guinea; 10-Mar-1927 ⁶ / West Tropical Africa to Southwestern Uganda and Angola / <u>73114</u> / <i>Fairchild</i> 1261 / 11DIII	Dorsett 1928
<i>Borassus flabellifer</i> L., Arecaceae / 1 (0)	14-Apr-1929	Trinidad Botanic Garden ⁴ / Southeastern Asia, Java to Lesser Sunda Islands / - / - / Unknown	Barbour 1929
<i>Borassus flabellifer</i> L., Arecaceae / 7 (5)	1-Nov-1927	Jaffna, Sri Lanka; 6-Feb-1926 ⁶ / Southeastern Asia, Java to Lesser Sunda Islands / <u>66649</u> / <i>Fairchild</i> 350 / 13DI	

<i>Borassus machadonis</i> (Ridl.) Becc. [<i>Borassodendron machadonis</i> (Ridl.) Becc.], Arecaceae / 1 (0)	14-Apr-1929	Trinidad Botanic Garden ⁴ / Southeastern Asia / - / - / Unknown	Barbour 1929
<i>Bosqueia angolensis</i> , Ficalho [<i>Trilepisium madagascariense</i> DC.], Moraceae / 1 (0)	10-Jan-1928	Victoria Botanic Garden, Cameroon; 17-Feb-1927 ⁶ / Tropical Africa to Madagascar / <u>74020</u> / <i>Fairchild 1190</i> / 11DI	Dorsett 1928
<i>Bougainvillea warszewiczii</i> ²⁰ Hort., Nyctaginaceae / 1 (1)	10-Jan-1928	Algeria; 1925 ⁶ / Unknown / <u>63554</u> / - / 13CII	Dorsett 1928
<i>Brassavola nodosa</i> (L.) Lindl. [<i>B. subulifolia</i> Lindl.], Orchidaceae / 1 (0)	31-Mar-1933	San Andrés Island, Colombia ²¹ / West Indies, Mexico to Tropical America / <u>102652</u> , <u>102653</u> , <u>102654</u> / - / Seboruco	Fairchild 1933
<i>Brassavola nodosa</i> (L.) Lindl. ssp. <i>cordata</i> (Lindl.) N.H. Williams [<i>B. subulifolia</i> Lindl.], Orchidaceae / 1 (0)	1-Apr-1933	Unknown / Jamaica / - / - / Seboruco	Fairchild 1933
<i>Brownea coccinea</i> Jacq., Fabaceae / 1 (0)	Jan-1928	Victoria Botanic Garden, Cameroon; 10-Feb-1927 ⁶ / South America / <u>75270</u> / <i>Fairchild 1170</i> / 15DIII	
<i>Brownea grandiceps</i> Jacq., Fabaceae / 2 (1)	Jan-1928	Peradeniya Botanic Garden, Sri Lanka; 9-Jun-1926 ⁶ / South America / <u>67982</u> / <i>Fairchild 907</i> / 11 CIII, 15DIII	Dorsett 1928
<i>Brownea macrophylla</i> Mast, Fabaceae / 5 (0)	Jan-1928	Peradeniya Botanic Garden, Sri Lanka; 9-Jun-1926 ⁶ / Panama to Peru / <u>70758</u> / <i>Fairchild 886</i> / 12GIII; 15DIV; 11DI; 11DII	
<i>Brunfelsia americana</i> L., Solanaceae / 1 (0)	30-Jul-1933	Beata Island, Dominican Republic; 17-Jan-1932 ⁵ / Caribbean to Northern Venezuela / <u>97903</u> / <i>Fairchild 2605</i> / Unknown	
<i>Bumelia obovata</i> (Lam.) A.DC. [<i>Sydeoxylon obovatum</i> Lam.], Sapotaceae / 1 (1)	11-Feb-1933	Saona Island, Dominican Republic; 20-Jan-1932 ⁵ / Caribbean to Northern Venezuela / <u>97905</u> / <i>Fairchild 2622</i> / 11FI ³³	
<i>Bumelia obovata</i> (Lam.) A.DC. [<i>Sydeoxylon obovatum</i> Lam.], Sapotaceae / 1 (0)	17-Apr-1934	Saona Island, Dominican Republic; 20-Jan-1932 ⁵ / Caribbean to Northern Venezuela / <u>97905</u> / <i>Fairchild 2622</i> / 12EII	
<i>Cactus caesius</i> (H.L.Wendl.) Britton & Rose [<i>Melocactus curvispinus</i> ssp. <i>caesius</i> (H.L.Wendl.) N. P. Taylor], Cactaceae / 4 (0)	17-Apr-1934	Trinidad Botanic Garden; 15-Feb-1932 ⁵ / South America / <u>97952</u> / <i>Fairchild 2949</i> / Unknown	
<i>Caesalpinia paucijuga</i> Benth. [<i>Libidibia punctata</i> (Willd.) Britton], Fabaceae / 1 (0)	3-Jun-1933	Guyana Botanic Garden; 24-Feb-1932 ⁵ / Colombia to Venezuela / <u>98983</u> / <i>Fairchild 2967</i> / Unknown	
<i>Callicarpa rubella</i> Lindl., Lamiaceae / 1 (0)	10-Jan-1928	Lloyd Botanic Garden, Darjeeling, India / Eastern Himalaya to Southern China and Malaysia / <u>58905</u> / - / Unknown	Dorsett 1928
<i>Caloncoba brevipes</i> (Stapf) Gilg, Achariaceae / 5 (2)	5-Jun-1927	Assuausi, Ghana; 1-Mar-1927 ⁶ / Tropical Africa to Cameroon / <u>73835</u> / <i>Fairchild 1223</i> / 13CIV, 15CIV, 12EIV, 14CIV	
<i>Calophyllum inophyllum</i> L., Clusiaceae / 2 (1)	18-Mar-1928 ³	Tela, Honduras / Old World Tropics / - / - / 11DIII	Barbour 1928
<i>Canella winterana</i> (L.) Gaertn., Canellaceae / 1 (0)	11-Feb-1933	Martello Tower, Barbuda; 14-Mar-1932 ⁵ / Florida, Caribbean, Mexico, Venezuela / <u>98815</u> / <i>Fairchild 3834</i> / 11EI	
<i>Caryota mitis</i> Lour, Arecaceae / 2 (2)	14-Apr-1929	Unknown / Southeastern China to Southeastern Asia / - / - / 16DIV ³³	Barbour 1929
<i>Cassia bacillaris</i> L. f. [<i>Senna bacillaris</i> (L. f.) H.S.Irwin & Barneby], Fabaceae / 1 (0)	10-Jan-1928	Sibolangit Botanic Garden, Sumatra; 28-Mar-1926 ⁶ / Central to South Tropical America / <u>68020</u> / <i>Fairchild 734</i> / Unknown	Dorsett 1928

<i>Cassia grandis</i> L. f., Fabaceae / 2 (1)	14-Apr-1929	Dominica ¹⁷ / Tropical America / - / - / 5BII, 5BIII ³³	Barbour 1929
<i>Cassia sieberiana</i> DC., Fabaceae / 1 (0)	Jan-1928	Dalaba, Guinea; 10-Mar-1927 ⁶ / West Tropical Africa to Uganda / <u>73928</u> / <i>Fairchild 1259</i> / 12EI	Dorsett 1928
<i>Cassia</i> sp., Fabaceae / 1 (0)	31-Mar-1933	Unknown / Tropics / - / - / Unknown	Fairchild 1933
<i>Catalpa longissima</i> (Jacq.) Dum.Cours., Bignoniaceae / 1 (0)	3-Feb-1933	Dominican Botanic Garden / Hispaniola / <u>79537</u> / - / Unknown	
<i>Cereus millspaughii</i> (Britton) Vaupel [<i>Pilosocereus millspaughii</i> (Britton) Byles & G.D.Rowley], Cactaceae / 1 (0)	31-Mar-1933	Great Inagua, The Bahamas ¹⁹ / Florida, Bahamas, Cuba, Hispaniola / - / <i>Fairchild 3018</i> / Unknown	Fairchild 1933
<i>Chamaerops humilis</i> L., Arecaceae / 1 (0)	2-Apr-1933	Unknown / Mediterranean / - / - / Unknown	Fairchild 1933
<i>Chloroxylon swietenia</i> DC., Rutaceae / 1 (0)	12-Apr-1926	Peradeniya, Sri Lanka; 1-Jan-1926 ^{6,9} / West Tropical Africa / <u>66210</u> / <i>Fairchild 238</i> / Unknown	
<i>Cissus quadrangularis</i> L., Vitaceae / 2 (0)	Jan-1928	Georgetown, Gambia; 11-Feb-1927 ⁶ / Africa, Arabia, Asia / <u>72451</u> / <i>Fairchild 981</i> / 14CI	
<i>Coccoloba krugii</i> Lindau, Polygonaceae / 1(0)	11-Feb-1933	Codrington, Barbuda; 14-Mar-1932 ⁵ / Caribbean / <u>98828</u> / <i>Fairchild 3829</i> / 11FIV	
<i>Coccoloba</i> sp., Polygonaceae / 1(0)	11-Feb-1933	Great Inagua ⁵ / Tropical and Subtropical America / <u>98831</u> / <i>Fairchild 3874</i> / Unknown	
<i>Coccothrinax barbadensis</i> (Mart.) Becc., Arecaceae / 2 (2)	17-Apr-1934	Basseterre, St. Kitts; 13-Mar-1932 ⁵ / Lesser Antilles to Venezuela / <u>98501</u> / <i>Fairchild 3783</i> / 10CI	
<i>Coccothrinax</i> sp., Arecaceae / 1 (0)	11-Feb-1933	Agricultural Experiment Station, Tortola; 19-Mar-1932 ⁵ / Florida, Yucatan, Caribbean Islands, Northern Venezuela / <u>98489</u> / <i>Fairchild 3873</i> / 16EI	
<i>Coccothrinax</i> sp., Arecaceae / 1 (0)	11-Feb-1933	Beata Island, Dominican Republic; 17-Jan-1932 ⁵ / Florida, Yucatan, Caribbean Islands, Northern Venezuela / <u>96483</u> / <i>Fairchild 2614</i> / 12EIV	
<i>Coccothrinax</i> sp., Arecaceae / 1 (0)	30-Jul-1933	Beata Island, Dominican Republic ⁵ / Florida, Yucatan, Caribbean Islands, Northern Venezuela / <u>98513</u> / <i>Fairchild 2614</i> / 12EIV	
<i>Coccothrinax</i> sp., Arecaceae / 1 (0)	30-Jul-1933	Great Inagua, The Bahamas; 15-Jan-1932 ⁵ / Florida, Yucatan, Caribbean Islands, Northern Venezuela / <u>97283</u> / <i>Fairchild 2597</i> / 16EI	
<i>Coccothrinax argentea</i> (Schult. & Schult.f.) Becc., Arecaceae / 1 (0)	14-Apr-1929	Trinidad ⁴ / Hispaniola / - / - / Unknown	Barbour 1929
<i>Cocos nucifera</i> L. var. <i>aurea</i> Hort., Arecaceae / 1 (0)	1931	Unknown / Pacific Basin / - / - / 7CI	Barbour 1931
<i>Coffea robusta</i> L.Linden [<i>C. canephora</i> Pierre ex A.Froehner], Rubiaceae / 1 (0)	31-Mar-1933	Coconut Grove, Florida; C.A. Cook s.n. / West and Central Africa ¹⁶ / - / - / Unknown	Fairchild 1933
<i>Coffea stenophylla</i> G. Don, Rubiaceae / 4 (0)	14-Apr-1929	Dominica Botanic Garden ¹⁷ / West Tropical Africa / - / - / 12CII	Barbour 1929

<i>Coleospadix angustifolia</i> (Bl.) Burret, Arecaceae / 1 (0)	17-Feb-1927	Peradeniya Botanic Garden, Sri Lanka ⁷ / Pacific Islands / - / <i>Fairchild 257</i> / Unknown	
<i>Coleospadix oninensis</i> (Becc.) Becc. [<i>Drymophloeus oninensis</i> (Becc.) H.E.Moore], Arecaceae / 1 (0)	31-Mar-1933	Coconut Grove, Florida; C.A. Cook 1528 ¹⁶ / Moluccan Archipelago to New Guinea / - / - / Unknown	Fairchild 1933
<i>Colubrina ferruginosa</i> Brongn. [<i>C. arborescens</i> (Mill.) Sarg.], Rhamnaceae / 5 (0)	12-Apr-1929 ²²	City of Guatemala / Mexico to Colombia, Florida, Caribbean / <u>71405</u> / - / 12DI	Barbour 1929
<i>Colvillea racemosa</i> Hook., Fabaceae / 2 (0)	14-Apr-1929	Dominica Botanic Garden ¹⁷ / Madagascar / - / - / 11CI, 11DII	Barbour 1929
<i>Combretum grandiflorum</i> G.Don, Combretaceae / 1 (0)	10-Jan-1928	Bathurst, Gambia; 11-Jan-1927 ⁶ / West Tropical Asia / <u>72993</u> / <i>Fairchild 1101</i> / 12EIV	Dorsett 1928
<i>Combretum micranthum</i> G.Don, Combretaceae / 1 (0)	1-Jan-1928	Georgetown, Gambia; 9-Feb-1927 ⁶ / West Tropical Africa to Central Africa / <u>73510</u> / <i>Fairchild 1137</i> / Unknown	Dorsett 1928
<i>Combretum mucronatum</i> Schumac. & Thonn., Combretaceae / 2 (1)	10-Jan-1928	Mamou, Guinea; 10-Mar-1927 ⁶ / West Tropical Africa to Uganda / <u>73930</u> / <i>Fairchild 1263</i> / 10CII, 11EII	Dorsett 1928
<i>Combretum sp.</i> , Combretaceae / 1 (0)	10-Jan-1928	Georgetown to Kuntaur, Gambia; 7-Jan-1927 ⁶ / Tropics and Subtropics / <u>70937</u> / <i>Fairchild 978</i> / Unknown	Dorsett 1928
<i>Congea tomentosa</i> , Roxb., Lamiaceae / 2 (2)	1930 ²³	Dominica Botanic Garden / India to Southeastern Asia and Yunnan / - / - / 9CII	
<i>Consolea moniliformis</i> (L.) A.Berger, Cactaceae / 1 (0)	30-Jul-1933	Beata Island, Dominican Republic; 17-Feb-1932 ⁵ / West Indies / <u>96512</u> / <i>Fairchild 2604</i> / Unknown	
<i>Copernicia cerifera</i> (Arruda) Mart. [<i>C. prunifera</i> (Mill.) H.E.Moore], Arecaceae / 2 (2)	17-Apr-1934	Guyana Botanic Garden ⁵ / Brazil / <u>98491</u> / <i>Fairchild 2977</i> / 9BIII	
<i>Copernicia sp.</i> , Arecaceae / 1 (0)	31-Mar-1933	Unknown, C.A. Cook 701 / Caribbean Islands to South Tropical America / - / - / Unknown	Fairchild 1933
<i>Costus cylindricus</i> Jacq. [<i>C. spicatus</i> (Jacq.) Sw.], Costaceae / 1 (0)	3-Jun-1933	Tobago; 20-Feb-1932 ⁵ / Mexico, Caribbean / <u>98986</u> / <i>Fairchild 2958</i> / Unknown	
<i>Costus sp.</i> , Costaceae / 1 (0)	30-Jul-1933	Arena Forest, Trinidad; 16-Feb-1932 ⁵ / Tropics and Subtropics / <u>97843</u> / <i>Fairchild 2925</i> / 13DI	
<i>Curcuma longa</i> L., Zingiberaceae / 1 (0)	3-Jun-1933	Market in Basseterre, St. Kitts; 23-Jan-1932 ⁵ / Southeastern Asia / <u>96505</u> / <i>Fairchild 2641</i> / 13DI	
<i>Cynometra cauliflora</i> L., Fabaceae / 1 (0)	10-Jan-1928	Buitenzorg, Java / MalaysiaMalaysia / <u>75256</u> / - / Unknown	Dorsett 1928
<i>Cynometra cauliflora</i> L., Fabaceae / 1 (0)	10-Jan-1928	Market in Tegal, Java; 19-Apr-1926 ⁶ / MalaysiaMalaysia / <u>67692</u> / <i>Fairchild 747</i> / Unknown	Dorsett 1928
<i>Cyrtosperma senegalense</i> (Schott) Engl. [<i>Lasimorpha senegalensis</i> Schott], Araceae / 1 (0)	Feb-1927	Duala, Cameroon; 6-Feb-1926 ⁷ / West Tropical Africa to Chad and Angola / <u>75271</u> / <i>Fairchild 1156</i> / 17FI; Shade House	
<i>Cyrtosperma senegalense</i> (Schott) Engl. [<i>Lasimorpha senegalensis</i> Schott], Araceae / 1 (0)	10-Jan-1928	Duala, Cameroon; 6-Feb-1926 ⁶ / West Tropical Africa to Chad and Angola / <u>75271</u> / <i>Fairchild 1156</i> / 17FI; Shade House	Dorsett 1928

<i>Dalbergia lanceolaria</i> Moon [<i>Pericopsis mooniana</i> Thwaites], Fabaceae / 1 (1)	15-Apr-1928 ²⁴	Dominica Botanic Garden ¹⁷ / Sri Lanka, Malaysia Malaysia to New Guinea / - / - / 11CII ³³	Barbour 1929
<i>Dalbergia latifolia</i> Roxb., Fabaceae / 1 (0)	17-Apr-1934	Guyana Botanic Garden; 24-Feb-1932 ⁵ / India to Malaysia Malaysia / <u>98980</u> / <i>Fairchild</i> 3657 / 11CII	
<i>Dendrobium pierardii</i> R.Br. [<i>D. aphyllum</i> (Roxb.) C.E.C.Fisch.], Orchidaceae / 1 (0)	31-Mar-1933	Hope Gardens, Jamaica; 10-Mar-1933 ⁸ / Asia / <u>102661</u> / <i>Fairchild</i> 3047 / Seboruco	Fairchild 1933
<i>Dendrocalamus sikkimensis</i> Oliv., Poaceae / 1 (0)	Mar-1928	Tela, Honduras ^{13,14} / Eastern Himalaya to China / - / - / 15DII ³³	Barbour 1928
<i>Dialium guineense</i> Willd., Fabaceae / 1 (1)	Apr-1929	Tobago ⁴ / Tropical Africa / - / - / 11EII ³³	Barbour 1929
<i>Dialium guineense</i> Willd., Fabaceae / 2 (2)	1-Jan-1928	Akkra, Ghana; 27-Feb-1927 ⁶ / Tropical Africa / <u>73846</u> / <i>Fairchild</i> 1240 / 12EI	Dorsett 1928
<i>Dioscorea</i> sp., Dioscoriaceae / 1 (0)	Jan-1928	Abuko, Gambia; 10-Jan-1927 ⁶ / Cosmopolitan / <u>75273</u> / <i>Fairchild</i> 1149 / Unknown	Dorsett 1928
<i>Dioscorea</i> sp., Dioscoriaceae / 1 (0)	Jan-1928	Jala, Sierra Leona; 21-Jan-1927 ⁶ / Cosmopolitan / <u>75272</u> / <i>Fairchild</i> 1143 / Unknown	Dorsett 1928
<i>Diospyros mespiliformis</i> A.DC., Ebenaceae / 1 (1)	10-Jan-1928	Georgetown, Gambia; 8-Jan-1927 ⁶ / Tropical Africa, Arabian Peninsula / <u>70941</u> / <i>Fairchild</i> 961 / 13DIV	Dorsett 1928
<i>Dipteryx odorata</i> (Aubl.) Forsyth. f., Fabaceae / 1 (0)	Mar-1928	Tela, Honduras ¹³ / Trinidad to South America / - / - / 13DI	Barbour 1928
<i>Dolichos lablab</i> L. var. <i>alba</i> ²⁵ [<i>Lablab purpureus</i> (L.) Sweet], Fabaceae / 1 (0)	31-Mar-1933; 4-Apr-1933	Hope Gardens, Jamaica; 11-Mar-1933 ⁸ / Cape Verde to Western Central Africa / - / <i>Fairchild</i> 3053 / Unknown	Fairchild 1933
<i>Dracaena</i> sp., Asparagaceae / 6 (0)	17-Apr-1934	Castleton Gardens, Jamaica; 7-Mar-1933 ¹² / Tropics and Subtropics / <u>102280</u> / <i>Fairchild</i> 3038 / 1AI	
<i>Drymophloeus</i> sp., Arecaceae / 1 (0)	10-Jan-1928	Victoria Botanic Garden, Cameroon; 10-Feb-1927 ⁶ / New Guinea, Samoa, Maluku / <u>73007</u> / <i>Fairchild</i> 1169 / Unknown	Dorsett 1928
<i>Durio zibethinus</i> Moon, Malvaceae / 1 (0)	May-28 ²⁶	Tela, Honduras ¹³ / India to Myanmar / - / - / Unknown	Barbour 1928
<i>Ecdysanthera utilis</i> Hayata & Kawak [<i>Urceola micrantha</i> (G.Don) D.J.Middleton], Apocynaceae / 1 (0)	31-Mar-1933	Taihoku, Taiwan / Himalaya to Southeastern Asia / <u>58496</u> / - / Unknown	Fairchild 1933
<i>Ehretia buxifolia</i> Roxb. [<i>E. microphylla</i> Lam.], Boraginaceae / 1 (0)	Mar-1928	Tela, Honduras ¹³ / India to Solomon Islands / - / - / Unknown	Barbour 1928
<i>Elaeis guineensis</i> Jacq. var. <i>poissonii</i> A.Chev., Arecaceae / 13 (11)	6-Jun-1927	Victoria Botanic Garden, Cameroon; 17-Feb-1927 ⁶ / Tropical Africa / <u>73956</u> / <i>Fairchild</i> 1192 / 13EI, 13EII, 17DIII, 17DIV ³³	
<i>Elaeis guineensis</i> Jacq., Arecaceae / 10 (9)	10-Jan-1928	Victoria, Cameroon; February 1927 ⁶ / Tropical Africa / <u>73009</u> / <i>Fairchild</i> 1193, <i>Fairchild</i> 1197 / 13EI, 13EIV 17DIII, 17DIV	Dorsett 1928
<i>Elaeis guineensis</i> Jacq., Arecaceae / 4 (4)	18-Mar-1928	Tela, Honduras ¹³ / Tropical Africa / - / - / 12EII	Barbour 1928
<i>Elaeophorbia drupifera</i> (Thonn.) Stapf [<i>Euphorbia drupifera</i> Thonn.], Euphorbiaceae / 5 (0)	1-Jan-1928	Fernando Po Island, West Africa; 4-Jan-1927 ⁶ / West Tropical Africa to Uganda / <u>73010</u> / <i>Fairchild</i> 1155 / Seboruco	Dorsett 1928

<i>Entada polystachya</i> (L.) DC., Fabaceae / 1 (0)	11-Feb-1933	Tobago; 20-Feb-1932 ⁵ / Neotropics / <u>97960</u> / Fairchild 2944 / Unknown	
<i>Entada sudanica</i> Schweinf. [<i>E. africana</i> Guill. & Perr.], Fabaceae / 1 (0)	1-Jan-1928	Georgetown at Kuntaur, Gambia; 10-Jan-1927 ⁶ / West Tropical Africa to Ethiopia / <u>70942</u> / Fairchild 962 / 10DI	Dorsett 1928
<i>Erythrina fusca</i> Lour., Fabaceae / 1 (0)	10-Jan-1928	Botanic Garden of Buitenzorg, Java / Neotropics, Tanzania to West Pacific / <u>72436</u> / - / Unknown	Dorsett 1928
<i>Erythrina poeppigiana</i> (Walp.) O.F.Cook, Fabaceae / 1 (0)	17-Apr-1934	Hope Gardens, Jamaica; 10-Mar-1933 ¹² / Panama to Argentina / <u>102606</u> / Fairchild 3071 / Unknow	
<i>Erythrina senegalensis</i> DC., Fabaceae / 2 (1)	10-Jan-1928	Bathurst, Gambia; 4-Jan-1927 ⁶ / West Tropical Africa / <u>73850</u> / Fairchild 942 / 4CI	Dorsett 1928
<i>Erythrina</i> sp., Fabaceae / 1 (0)	3-Jun-1933	Carriacou; 9-Feb-1932 ⁵ / Tropics and Subtropics / <u>98060</u> / Fairchild 2796 / Unknow	
<i>Erythrophleum guineense</i> G.Don, Fabaceae / 1 (1)	10-Jan-1928	Mamou, Guinea; 10-Mar-1927 / Tropical Africa ⁶ / <u>73934</u> / Fairchild 1279 / 11DIII	Dorsett 1928
<i>Erythropsis barteri</i> Ridley Mart. [<i>Hildegardia barteri</i> (Mast.) Koesterm.], Malvaceae / 1 (0)	10-Jan-1928	Victoriaborg, Ghana / West Tropical Africa / <u>73911</u> / - / 12EIII	Dorsett 1928
<i>Eugenia calycolpoides</i> Griseb. [<i>E. puniceifolia</i> (Kunth) DC.], Myrtaceae / 1 (0)	11-Feb-1933	Trinidad Botanic Garden; 13-Feb-1932 ⁵ / Cuba, South Tropical America / <u>98552</u> / Fairchild 2834 / Unknow	
<i>Eugenia grandis</i> Wight [<i>Syzygium grande</i> (Wight) Walp.], Myrtaceae / 1 (1)	28-Jan-1928	Singapore Botanic Garden, 31-May-1926 ⁶ / India, Yunnan, Western MalaysiaMalaysia / <u>70785</u> / Fairchild 837 / 15CIV ³³	
<i>Euterpe edulis</i> Mart., Arecaceae / 1 (0)	1928	Peradeniya Botanic Garden, Sri Lanka; 1-Jan-1926 ⁶ / Brazil, Argentina / <u>66218</u> / Fairchild 255 / 13CIV	
<i>Ficus capensis</i> Thunb. [<i>F. sur</i> Forssk.], Moraceae / 1 (1)	10-Jan-1928	Georgetown, Gambia; 8-Jan-1927 ⁶ / Africa to Arabian Peninsula / <u>70945</u> / Fairchild 953 / 11CIV ³³	Dorsett 1928
<i>Ficus jacquinifolia</i> A.Rich. [<i>F. americana</i> Aubl.], Moraceae / 2 (1)	11-Feb-1933	New Providence, The Bahamas; 1-Jan-1932 ⁵ / Southern Florida to Tropical America / <u>95691</u> / Fairchild 2553 / 3GI, 11FII	
<i>Ficus laevigata</i> Vahl. [<i>F. citrifolia</i> Mill.], Moraceae / 3 (1)	11-Feb-1933	Harrigan, Tortola; 19-Mar-1932 ⁵ / Southern Florida to Tropical America / <u>98850</u> / Fairchild 3861 / 4FI, 12EIV, 11FII	
<i>Ficus platyphylla</i> Delile, Moraceae / 2 (0)	31-Jul-1931	Coconut Grove, Florida; originally collected in Cape Coast, Ghana on 1-Mar-1927 ^{9,16} / West Tropical Africa to Uganda / <u>73188</u> / Fairchild 1218 / 11FI, 12EIV	
<i>Ficus platyphylla</i> Delile, Moraceae / 2 (0)	10-Oct-1935	Coconut Grove, Florida; originally collected in Cape Coast, Ghana on 1-Mar-1927 ^{9,16} / West Tropical Africa to Uganda / <u>73188</u> / Fairchild 1218 / 11FI, 12EIV	
<i>Ficus salicifolia</i> Vahl, Moraceae / 2 (0)	30-Jul-1933	Guyana Botanic Garden; 24-Feb-1932 ⁵ / Africa, Arabian Peninsula / <u>97932</u> / Fairchild 3656 / 11FI, 3EIII	

<i>Ficus sp.</i> , Moraceae / 1 (0)	17-Apr-1934	Mayero; 6-Feb-1932 ⁵ / Tropics and Subtropics / <u>97571</u> / <i>Fairchild</i> 2758 / 3FIII	
<i>Ficus sp.</i> , Moraceae / 1 (0)	11-Feb-1933	Carriacou; 8-Feb-1932 ⁵ / Tropics and Subtropics / <u>97845</u> / <i>Fairchild</i> 2794 / 3EIII	
<i>Ficus sp.</i> , Moraceae / 1 (1)	30-Jul-1933	Mayero; 6-Feb-1932 ⁵ / Tropics and Subtropics / <u>97571</u> / <i>Fairchild</i> 2758 / 3FIII	
<i>Ficus spragueana</i> Mildbr. & Burret [<i>F. thonningii</i> Blume], Moraceae / 1 (0)	10-Jan-1928	Georgetown, Gambia; 8-Jan-1927 ⁶ / Cape Verde, Tropical and South Africa / <u>70947</u> / <i>Fairchild</i> 951 / 3EII	Dorsett 1928
<i>Ficus vogelii</i> (Miq.) Miq. [<i>F. lutea</i> Vahl], Moraceae / 1 (0)	10-Jan-1928	Bathurst, Gambia; 4-Jan-1927 ⁶ / Africa / <u>70946</u> / <i>Fairchild</i> 959 / 3EIII	Dorsett 1928
<i>Ficus waringiana</i> Hort. Apud Skeels, Moraceae ²⁷ / 1 (0)	10-Jan-1928	Karangpandan, Java; 7-May-1926 ⁶ / Unknown / <u>67501</u> / <i>Fairchild</i> 769 / 11CIV	Dorsett 1928
<i>Galeandra sp.</i> , Orchidaceae / 1 (0)	3-Apr-1933	Unknown / Tropical and Subtropical America / - / - / Unknown	Fairchild 1933
<i>Garcinia cornea</i> L. [<i>G. celebica</i> L.], Clusiaceae / 2 (2)	15-Mar-1928	Peradeniya Botanic Garden, Sri Lanka; 9-Jun-1926 ⁶ / Assam (India) to Indonesia / <u>67983</u> / <i>Fairchild</i> 909 / 12CIII	
<i>Garcinia dulcis</i> (Roxb) Kurz., Clusiaceae / 1 (1)	13 May 1927	Dominica / Andaman Islands to Northern Queensland / <u>58589</u> / - / 12CIII	
<i>Garcinia dulcis</i> (Roxb) Kurz., Clusiaceae / 4 (2)	14-Apr-1929	Dominica Botanic Garden ¹⁷ / Andaman Islands to Northern Queensland / - / - / 12CIII, 13CIV	Barbour 1929
<i>Garcinia dulcis</i> (Roxb.) Kurz., Clusiaceae / 1 (0)	10-Jan-1928	Straits Settlements, Singapore; 31-May-1926 ⁶ / Adaman Islands to Northern Queensland / <u>68028</u> / <i>Fairchild</i> 821 / 12CIII	Dorsett 1928
<i>Garcinia mangostana</i> L., Clusiaceae / 1 (0)	1-Jan-1928	Unknown place but material came originally from India ⁶ / MalaysiaMalaysia / <u>67984</u> / - / 13CIV	Dorsett 1928
<i>Garcinia morella</i> (Gaertn) Desr., Clusiaceae / 1 (0)	14-Apr-1929	Dominica Botanic Garden ¹⁷ / Southwestern India to Sri Lanka Bangladesh and Philippines / - / - / Unknown	Barbour 1929
<i>Garcinia sp.</i> , Clusiaceae / 1 (0)	10-Jan-1928	Lungnam, Kiangsi Province, China; 19-Dec-1926 / Tropics and Subtropics / <u>75263</u> / - / Unknown	Dorsett 1928
<i>Geophila herbacea</i> (Jacq.) K.Schum. [<i>Psychotrica herbacea</i> Jacq.], Rubiaceae / 1 (0)	17-Apr-1934	Trinidad Botanic Garden; 15-Feb-1932 ⁵ / Tropics and Subtropics of Old World / <u>97846</u> / <i>Fairchild</i> 2903 / Unknown	
<i>Gmelina asiatica</i> L., Lamiaceae / 4 (0)	11-Feb-1933	Guyana Botanic Garden; 25-Feb-1932 ⁵ / India to Southeastern Asia / <u>97933</u> / <i>Fairchild</i> 2969 / 11EIII, 11FII	
<i>Gouania lupuloides</i> (L.) Urb., Rhamnaceae / 1 (0)	17-Apr-1934	Nassau, The Bahamas; 3-Jan-1932 ⁵ / Florida to Tropical America / <u>95704</u> / <i>Fairchild</i> 2559 / Unknown	
<i>Guadua angustifolia</i> Kunth, Poaceae / 1 (0)	31-Mar-1933	Unknown / Trinidad to Venezuela and Peru / - / - / 12DII ³³	Fairchild 1933
<i>Gyminda latifolia</i> (Sw.) Urb., Celastraceae / 1 (0)	30-Jul-1933	Anguilla; 16-Mar-1932 ⁵ / Florida Mexico, Caribbean / <u>98985</u> / <i>Fairchild</i> 3842 / Unknown	

<i>Hibiscus collinsii</i> ²⁸ Hort., Malvaceae / 1 (0)	30-Jul-1933	Grenada Botanic Garden; 10-Feb-1932 ⁵ / Unknown / <u>97962</u> / <i>Fairchild 2812</i> / Unknown	
<i>Hymenocallis arenicola</i> Northr., Amaryllidaceae / 1 (0)	17-Apr-1934	Concepcion, The Bahamas; 5-Jan-1932 ⁵ / Caribbean / <u>99578</u> / <i>Fairchild 3894</i> / Shade House	
<i>Hyphaene thebaica</i> (L.) Mart., Arecaceae / 2 (0)	10-Jan-1928	Kerewan, Gambia; 10-Jan-1927 ⁶ / West Tropical Africa to Egypt and Arabian Peninsula / <u>70958</u> / <i>Fairchild 980</i> / 12CIII, 12DII	Dorsett 1928
<i>Inocarpus edulis</i> (F.A.Zorn) Fosberg, Fabaceae / 1 (0)	18-Mar-1928	Tela, Honduras ¹³ / MalaysiaMalaysia to South Pacific / - / - / Unknown	Barbour 1928
<i>Intsia bijuga</i> (Colebr.) Kuntze, Fabaceae / 1 (0)	Mar-1928	Tela, Honduras ¹³ / Tanzania to Pacific / - / - / 12DIII	Barbour 1928
<i>Ixora chinensis</i> Lam., Rubiaceae / 2 (0)	1-Jan-1928	Kotaaitamshaan, Kwangtung Province, China; 31-Oct-1925 / Southeastern China to Southeastern Asia and Philippines / <u>65842</u> / - / Shade House	Dorsett 1928
<i>Jasminum dichotomum</i> D.Don [<i>J. nepalense</i> Spreng.], Oleaceae / 3 (0)	28-Jan-1932	Coconut Grove, Florida; originally collected in Abury, Ghana on 10-Feb-1927 ^{6,16} / Himalaya to Northern Myanmar / <u>73067</u> / <i>Fairchild 1241</i> / 14DI, 14CI, 14CII	
<i>Juniperus phoenicea</i> L., Cupressaceae / 1 (0)	Jan-1928	Ibiza, Spain; 16-Aug-1925 ⁶ / Mediterranean / <u>65020</u> / <i>Fairchild 207</i> / Unknown	Dorsett 1928
<i>Laeliopsis domingensis</i> Lindl. [<i>Broughtonia domingensis</i> (Lindl.) Rolfe], Orchidaceae / 1 (0)	17-Apr-1934	Beata Island, Dominican Republic; 17-Jan-1932 ⁵ / Greater Antilles / <u>99048</u> / <i>Fairchild 26</i> / Seboruco	
<i>Landolphia stolzii</i> Busse [<i>L. owariensis</i> P.Beauv.], Apocynaceae / 1 (0)	1-Jan-1928	Buea, Victoria, Cameroon; 11-Feb-1927 ⁶ / Tropical Africa / <u>74021</u> / <i>Fairchild 1178</i> / Unknown	Dorsett 1928
<i>Landolphia stolzii</i> Busse [<i>L. owariensis</i> P.Beauv.], Apocynaceae / 1 (0)	1-Jan-1928	Market in Moliko, Cameroon; 12-Feb-1927 ⁶ / Tropical Africa / <u>75278</u> / <i>Fairchild 1181</i> / Unknown	Dorsett 1928
<i>Lansium domesticum</i> Corrêa, Meliaceae / 1 (0)	18-Mar-1928	Tela, Honduras ¹³ / Southeastern Asia to Malaysia / - / - / 12CIII	Barbour 1928
<i>Lansium domesticum</i> Corrêa, Meliaceae / 1 (0)	November 1926	Market in Boerboedior Temple, Java; 30-Apr-1926 ⁶ / Southeastern Asia to Malaysia / <u>69002</u> / <i>Fairchild 766</i> / 13CIV	Fairchild 1933
<i>Lansium domesticum</i> Corrêa, Meliaceae / 1 (1)	10-Jan-1928	Malang, Java; 17-May-1926 ⁶ / Southeastern Asia to Malaysia / <u>67645</u> / <i>Fairchild 778</i> / 12CIII	Dorsett 1928
<i>Latania lontaroides</i> (Gaertn.) H. E. Moore, Arecaceae / 3 (2)	14-Apr-1929	Trinidad ⁴ / Reunion Island / - / - / 13DI, 14DIV; 16DIII	Barbour 1929
<i>Lecythis elliptica</i> Kunth [<i>L. minor</i> Jacq.], Lecythidaceae / 1 (1)	22-Mar-1933 ¹⁵	Summit Gardens, Panama ²⁹ / Panama to Venezuela / - / <i>Fairchild 3106</i> / 11CII ³³	Fairchild 1933
<i>Lecythis tuyrana</i> Pittier, Lecythidaceae / 1 (1)	22-Mar-1933 ¹⁵	Ancon, Panama; 23-Mar-1933 ²⁹ / East Panama to North Ecuador / <u>102609</u> / <i>Fairchild 3107</i> / 11BIII	Fairchild 1933
<i>Leucothrinax morrisii</i> (H. Wendl.) C.Lewis & Zona, Arecaceae / 7 (0)	1929	Dominica Botanic Garden ¹⁷ / West Indies / - / - / 13EII	Barbour 1929
<i>Lissochilus heudelotii</i> Rchb. f. [<i>Eulophia cristata</i> (Sw.) Steud.], Orchidaceae / 1 (0)	Jan-1928	Akra, Ghana; 27-Feb-1927 ⁶ / West Tropical Africa to Ethiopia / <u>75279</u> / <i>Fairchild 1231</i> / Unknown	Dorsett 1928

<i>Lissochilus millsonii</i> Rolfe [<i>Eulophia flavopurpurea</i> (Rchb. f.) Rolfe], Orchidaceae / 1 (0)	1-Jan-1928	Akkra, Ghana; 27-Feb-1927 ⁶ / Tropical Africa / <u>75280</u> / <i>Fairchild 1232</i> / Unknown	Dorsett 1928
<i>Lonchocarpus cyanencens</i> Benth. [<i>Philenoptera cyanescens</i> (Schumach. & Thonn.) Roberty], Fabaceae / 3 (1)	12-Apr-1926	Washington DC/ West Tropical Africa ⁶ / - / - / 9CIV	
<i>Lonchocarpus sp.</i> , Fabaceae / 1 (0)	11-Feb-1933	St. Eustatius; 22-Jan-1932 ⁵ / Neotropics, Tropical Africa / <u>97908</u> / <i>Fairchild 45</i> / Unknown	
<i>Maba crassinervis</i> (Krug & Urb.) Urb. [<i>Diospyros crassinervis</i> (Krug & Urb.) Standl.], Ebenaceae / 1 (0)	31-Mar-1933	San Salvador, The Bahamas; 18-Jan-1933 ¹⁹ / Bahamas, Cuba, Hispaniola / <u>102670</u> / <i>Fairchild 3005</i> / Unknown	Fairchild 1933
<i>Maba inconstans</i> Gr. [<i>Diospyros inconstans</i> Jacq.], Ebenaceae / 1 (0)	30-Jul-1933	Pigeon Hill, Tobago; 20-Feb-1932 ⁵ / Neotropics / <u>97935</u> / <i>Fairchild 3697</i> / 12DIII	
<i>Malacantha alnifolia</i> (Alne) Pierre [<i>Pouteria alnifolia</i> (Alne) Roberty], Sapotaceae / 4 (4)	10-Jan-1928	Akkra and Aburi, Ghana ⁶ / Tropical Africa / <u>73072</u> / <i>Fairchild 1244</i> / 11EI; 11DII	Dorsett 1928
<i>Mauritia flexuosa</i> L. f., Arecaceae / 1 (0)	16-Apr-1929	Tobago ⁴ / Trinidad to S. Tropical America / - / - / 13DI	Barbour 1929
<i>Monodora myristica</i> (Gaertn.) Dunal [<i>Platymitra arborea</i> (Blanco) P.J.A.Kessler], Annonaceae / 1 (1)	10-Jan-1928	Agricultural Experiment Station, Aburi, Ghana; 26-Feb-1927 ⁶ / Philippines / <u>75281</u> / <i>Fairchild 1242</i> / 13DI	Dorsett 1928
<i>Musa uranoscopus</i> Seem. [<i>M. troglodytarum</i> L.], Musaceae / 1 (0)	18-Mar-1928	Tela, Honduras ¹³ / Melanesia to Southwestern Pacific / - / - / Unknown	Barbour 1928
<i>Musanga smithii</i> R.Br. [<i>M. cecropioides</i> Tedlie], Urticaceae / 1 (0)	10-Jan-1928	Ekona Estate, Cameroon; 17-18-Mar-1927 ⁶ / West Tropical Africa to Uganda and Angola / <u>73121</u> , <u>73951</u> / <i>Fairchild 1213</i> / Unknown	Dorsett 1928
<i>Myristica fragrans</i> , Houtt., Myristicaceae / 1 (0)	Mar-1928	Tela, Honduras ¹³ / Banda Islands (Molucca Archipelago) / - / - / Unknown	Barbour 1928
<i>Ochna mossambicensis</i> Klotzsch [<i>O. atropurpurea</i> DC.], Ochnaceae / 3 (2)	11-Feb-1933	Guyana Botanic Garden; 25-Feb-1932 ⁵ / Somalia to Southern Tropical Africa / <u>98870</u> / <i>Fairchild 2971</i> / 9CII	
<i>Ochrosia sp.</i> Apocynaceae / 1 (0)	30-Jul-1933	Trinidad Botanic Garden; 13-Feb-1932 ⁵ / Indian Ocean to Pacific / <u>97981</u> / <i>Fairchild 2845</i> / 6CII	
<i>Oncoba spinosa</i> Forssk., Salicaceae / 2 (2)	10-Jan-1928	Peradeniya Botanic Garden, Sri Lanka; 1-Jan-1926 ³⁰ / Tropical and South Africa to Arabian Peninsula / <u>66229</u> / <i>Fairchild 240</i> / 12DI, 13DIV	Dorsett 1928
<i>Oncosperma fasciculatum</i> Thwaites, Arecaceae / 1 (0)	12-Apr-1926	Peradeniya Botanic Garden, Sri Lanka; 1-Jan-1926 ⁷ / Sri Lanka / <u>66230</u> / <i>Fairchild 235</i> / 13DI	
<i>Opsiandra maya</i> O. F. Cook [<i>Gaussia maya</i> (O.F.Cook) H.J.Quero & Read], Arecaceae / 1 (0)	31-Mar-1933	Coconut Grove, Florida; C.A. Cook 1328 ¹⁶ / Southeastern Mexico to Guatemala / - / - / 16DIV, 15EII	Fairchild 1933
<i>Ormosia monosperma</i> (Sw.) Urb., Fabaceae / 5 (1)	14-Apr-1929	Dominica Botanic Garden ¹⁷ / Lesser Antilles to Trinidad / - / - / 11CIII, 11DIII, 11CII	Barbour 1929
<i>Ormosia sp.</i> , Fabaceae / 1 (0)	30-Jul-1933	Mount Misery, St. Kitts; 24-Jan-1932 ⁵ / Subtropical Asia and America / <u>96513</u> / <i>Fairchild 2632</i> / Unknown	
<i>Parinarium macrophyllum</i> Sabine, Rosaceae / 1 (0)	10-Jan-1928	Kerewan, Gambia ⁶ / Tropical Africa / <u>70949</u> / <i>Fairchild 945</i> / Unknown	Dorsett 1928

<i>Passiflora laurifolia</i> L., Passifloraceae / 1 (0)	Mar-1928	Lancetilla Botanic Garden ^{13,14} / West Indies to South America / - / - / Unknown	Barbour 1928
<i>Passiflora mollissima</i> (Kunth) L.H.Bailey, Passifloraceae / 1 (0)	17-Apr-1934	Guyana Botanic Garden; 23-Feb-1932 ⁵ / Panama to Peru / <u>98049</u> / <i>Fairchild</i> 2995 / Unknown	
<i>Payena leerii</i> (Teijsm. & Binn.) Kurz, Sapotaceae / 3 (2)	10-Jan-1928	Hotel in Madioen, Java ⁶ / Southeastern Asia to Philippines / <u>67647</u> / <i>Fairchild</i> 779 / 11CIII, 13DIII, 11DIII ³³	Dorsett 1928
<i>Peltogyne porphyrocardia</i> Benth. [<i>P. floribunda</i> (Kunth) Pittier], Fabaceae / 1 (0)	11-Feb-1933	Guyana Botanic Garden; 25-Feb-1932 ⁵ / Trinidad, Tobago to Northern Brazil / <u>99002</u> / <i>Fairchild</i> 2970 / Unknown	
<i>Peltophorum ferrugineum</i> Benth. [<i>P. inermes</i> (Roxb.) Llanos], Fabaceae / 2 (2)	1926	Peradeniya Botanic Garden, Sri Lanka ⁷ / Tropical Asia to Australia / - / <i>Fairchild</i> 264 / 14CIV, 12DI	
<i>Pentas carnea</i> Benth. [<i>P. lanceolata</i> (Forssk.) Deflers ssp. <i>cymosa</i> (Klotzsch) Verdc.], Rubiaceae / 1 (0)	17-Apr-1934	Coconut Grove, Florida; originally collected in Trinidad Botanic Garden; 16-Feb-1932 ^{5,9} / Comoro Islands / <u>99615</u> / <i>Fairchild</i> 2873 / Unknown	
<i>Peperomia</i> sp., Piperaceae / 1 (0)	17-Apr-1934	Citadelle Henri Christophe, Haiti; 27-Mar-1932 ⁵ / Tropics and Subtropics / <u>99617</u> / <i>Fairchild</i> 3902 / Shade House	
<i>Peperomia</i> sp., Piperaceae / 1 (0)	17-Apr-1934	Grande Terre, Guadeloupe; 13-Mar-1932 ⁵ / Tropics and Subtropics / <u>99616</u> / <i>Fairchild</i> 3820 / Shade House	
<i>Persea americana</i> Guatemala type, Lauraceae / 1 (0)	1930-31 ³¹	Unknown / Mexico and Central America / - / - / OBII	Barbour 1931
<i>Persea americana</i> var. <i>drymifolia</i> (Cham. & Schlecht) Blake, Lauraceae / 1 (0)	1928	Tela, Honduras ^{13,14} / Mexico and Central America / - / - / OBII	Barbour 1928
<i>Philodendron</i> sp., Araceae / 1 (0)	31-Mar-1933	Barro Colorado, Panama; 23-Mar-1933 ²⁹ / Mexico to Tropical America / <u>102464</u> or <u>102465</u> / <i>Fairchild</i> 3080 or <i>Fairchild</i> 3081 / Shade House	Fairchild 1933
<i>Philodendron</i> sp., Araceae / 1 (0)	31-Mar-1933	Summit Gardens, Panama; 23-Mar-1933 ²⁹ / Mexico to Tropical America / <u>102466</u> or <u>102467</u> / <i>Fairchild</i> 3102 or <i>Fairchild</i> 3105 / Shade House	Fairchild 1933
<i>Philodendron tripartitum</i> (Jacq.) Schott, Araceae / 1 (0)	17-Apr-1934	Citadelle Henri Christophe, Haiti; 27-Mar-1932 ⁵ / Mexico Tropical America / <u>99619</u> / <i>Fairchild</i> 3901 / Unknown	
<i>Phoenix farinifera</i> Roxb. [<i>P. pusilla</i> Gaertn.], Arecaceae / 9 (4)	31-Mar-1933	Guyana Botanic Garden; 26-Feb-1932 ⁵ / Southern India, Sri Lanka / 97916 / - / 17DIII, 16EI, 16CIII, 18DIV	Fairchild 1933
<i>Phoenix</i> sp., Arecaceae / 3 (0)	9-Mar-1932	Guyana Botanic Garden; 26-Feb-1932 ⁵ / Macaronesia, Africa, Asia / <u>97916</u> / <i>Fairchild</i> 3658 / 7CIII ³³	
<i>Phoenix sylvestris</i> (L.) Roxb., Arecaceae / 1 (1)	31-Mar-1933	Unknown / India to Southeastern Asia / - / - / 18DIV	Fairchild 1933
<i>Picralima nitida</i> (Stapf) T.Durand & H.Durand, Apocynaceae / 1 (0)	10-Jan-1928	Agricultural experiment station, Aburi, Ghana; 26-Feb-1927 ⁶ / West Tropical Africa to Uganda / <u>73955</u> / <i>Fairchild</i> 1252 / Unknown	
<i>Pinanga kuhlii</i> Blume [<i>P. coronata</i> (Mart.) Blume], Arecaceae / 1 (1)	30-Jul-1933	Dominica Botanic Garden; 29-Jan-1932 ⁵ / Malaysia / <u>97287</u> / <i>Fairchild</i> 2677 / 12CIII	

<i>Pitcairnia corallina</i> Linden & André, Bromeliaceae / 1 (0)	17-Apr-1934	Grenada Botanic Garden; 10-Feb-1932 ⁵ / Colombia to Peru and Brazil / <u>97575</u> / <i>Fairchild 2808</i> / Unknown	
<i>Plumeria barahonensis</i> Urb. [<i>P. obtusa</i> L.], Apocynaceae / 1 (0)	30-Jul-1933	Beata Island, Dominican Republic; 19-Feb-1932 ⁵ / Florida and Bahamas / - / <i>Fairchild 2608</i> / Unknown	
<i>Pogonopus speciosus</i> (Jacq.) K.Schum. [<i>Hwardia grandiflora</i> Wedd.] Rubiaceae / 1 (0)	19-Mar-1928 ¹⁵	Tela, Honduras ¹³ / Colombia to Northern Venezuela / - / - / Unknown	Barbour 1928
<i>Polypodium vacciniifolium</i> Langsd. & Fisch. [<i>Microgramma vacciniifolia</i> (Langsd. & Fisch.) Copel], Polypodiaceae / 1 (0)	31-Mar-1933	Inagua ¹⁹ / Caribbean Islands to South Tropical America / - / - / Unknown	Fairchild 1933
<i>Pongamia pinnata</i> (L.) Pierre, Fabaceae / 1 (0)	14-Apr-1929	Dominica ¹⁷ / Tropical and Subtropical Asia to Southwest Pacific / - / - / Unknown	Barbour 1929
<i>Portlandia domingensis</i> Britton [<i>Cubanola domingensis</i> (Britton) Aiello], Rubiaceae / 1 (0)	30-Jul-1933	Saona Island, Dominican Republic; 20-Jan-1932 ⁵ / Hispaniola / <u>97904</u> / <i>Fairchild 2624</i> / Unknown	
<i>Portlandia grandiflora</i> L., Rubiaceae / 1 (0)	14-Apr-1929	Trinidad ⁴ / Jamaica / - / - / Unknow	Barbour 1929
<i>Pseudophoenix insignis</i> O.F.Cook. [<i>P. vinifera</i> (Mart.) Becc.], Arecaceae / 1 (0)	31-Mar-1933	Coconut Grove, Florida; C.A. Cook s.n. ¹⁶ / Hispaniola / - / - / 16DIV	Fairchild 1933
<i>Pseudophoenix saonae</i> O.F.Cook [<i>P. sargentii</i> Sarg.], Arecaceae / 4 (0)	11-Feb-1933	Saona Island, Dominican Republic; 20-Jan-1932 ⁵ / Florida, Bahamas, Greater Antilles, Dominica / <u>96487</u> / <i>Fairchild 2619, Fairchild 2620</i> / 12CIV, 13CIV, 9CIII	
<i>Psoralea bituminosa</i> L. [<i>Bituminaria bituminosa</i> (L.) C. H. Stirt.], Fabaceae / 1 (0)	10-Mar-1930	Santa Cruz de La Palma; 17-Jul-1925 ⁶ / Macaronesia to Caucasus / <u>65033</u> / <i>Fairchild 117</i> / Unknown	
<i>Pterocarpus indicus</i> Willd., Fabaceae / 1 (1)	18-Mar-1928 ³	Tela, Honduras / Tropical and Subtropical Asia to West Pacific / - / - / 12DIV	Barbour 1929
<i>Pterocarpus officinalis</i> Jacq., Fabaceae / 1 (0)	17-Apr-1934	Bath Botanic Garden, Jamaica; 9-Mar-1933 ¹² / Mexico to Tropical America / <u>102674</u> / <i>Fairchild 3051</i> / 12CI	
<i>Pterygota kamerunensis</i> K.Schum & Engl., Malvaceae / 1 (0)	10-Jan-1928	Victoria Botanic Garden, Cameroon; 10-Feb-1927 ⁶ / Togo / <u>73068</u> / <i>Fairchild 1162</i> / Unknown	Dorsett 1928
<i>Ptychosperma</i> sp., Arecaceae / 1 (0)	11-Feb-1933	Botanic Station of Scarborough, Tobago; 19-Feb-1932 ⁵ / Molucca Archipelago to Northern Australia / <u>97806</u> / <i>Fairchild 2953</i> / 16DI	
<i>Ptychosperma</i> sp., Arecaceae / 1 (0)	11-Feb-1933	Grenada; 10-Feb-1932 ⁵ / Molucca Archipelago to Northern Australia / <u>97541</u> / <i>Fairchild 2798</i> / 17DIV	
<i>Randia formosa</i> (Jacq.) K.Schum. [<i>Rosenbergiodendron formosum</i> (Jacq.) Fagerl.], Rubiaceae / 3 (0)	11-Feb-1933	Lamaba, Guyana; 26-Feb-1932 ⁵ / Panama to Venezuela and Ecuador / <u>97940</u> / <i>Fairchild 2994</i> / 10BIII, 10BIV	
<i>Raphia vinifera</i> P.Beauv., Arecaceae / 6 (0)	10-Jan-1928	Peradeniya Botanic Garden, Sri Lanka; 1-Jan-1926 ⁶ / Nigeria to South Sudan / <u>70746</u> / <i>Fairchild 259</i> / 13DI; 16DIII; 16DIV; 17DI; 17DII	Dorsett 1928
<i>Renanthera matutina</i> (Poir.) Lindl., Orchidaceae / 1 (0)	1-Apr-1933	Castleton Gardens, Jamaica ⁸ / Malaysia to Philippines / - / - / Seboruco	Fairchild 1933

<i>Rhynchosia calycina</i> Guill & Perr. [<i>R. pycnostachya</i> (DC.) Meikle], Fabaceae / 1 (0)	10-Jan-1928	Jala, Sierra Leona; 21-Jan-1927 ⁶ / Cape Verde to Bioko and Chad / <u>70921</u> / <i>Fairchild 1124</i> / Unknown	Dorsett 1928
<i>Ritchiea reflexa</i> (Thonn. & Schumach.) Gilg & Gilg-Ben., Capparaceae / 1 (0)	10-Jan-1928	Akra and Aburi, Ghana, 26-Feb-1927 ⁶ / Tropical Asia / <u>73069</u> / <i>Fairchild 1227</i> / Unknown	Dorsett 1928
<i>Roystonea oleracea</i> (Jacq.) O.F.Cook, Arecaceae / 2 (1)	11-Feb-1933	Trinidad Botanic Garden, 13-Feb-1932 ⁵ / Lesser Antilles to Northeastern Colombia / <u>97551</u> / <i>Fairchild 2837</i> / 15EI, 14EIII ³³	
<i>Roystonea regia</i> (Kunth) O. F. Cook, Arecaceae / 10 (8)	31-Mar-1933	Jamaica / Florida, Mexico, Central America, Caribbean Islands / - / - / 14EIII	Fairchild 1933
<i>Roystonea sp.</i> , Arecaceae / 3 (3)	17-Apr-1934	Kingston, Jamaica; 7-Mar-1933 ¹² / Southern Florida, Caribbean to Venezuela / <u>102287</u> / <i>Fairchild 3035</i> / 14EIII	
<i>Sabal etonia</i> Swinl ex Nash. [<i>S. megacarpa</i> (Champ) Small], Arecaceae / 2 (1)	31-Mar-1933	Coconut Grove, Florida; C.A. Cook sn ¹⁶ / Florida / - / - / 16EI	Fairchild 1933
<i>Sabal glaucescens</i> Drabble [<i>S. mauritiiformis</i> (H.Karst.) H.Wendl.], Arecaceae / 1 (1)	17-Apr-1934	Grenada Botanic Garden; 10-Feb-1932 ⁵ / Mexico to Venezuela and Trinidad / <u>97552</u> / <i>Fairchild 2801</i> / 9CII	
<i>Sabal glaucescens</i> Drabble [<i>S. mauritiiformis</i> (H.Karst.) H.Wendl.], Arecaceae / 2 (2)	11-Feb-1933	Antigua Botanic Garden; 26-Jan-1932 ⁵ / Mexico to Venezuela and Trinidad / <u>97290</u> / <i>Fairchild 2670</i> / 16EI	
<i>Salacca edulis</i> Reinw. [<i>S. zalacca</i> (Gaertn.) Voss], Arecaceae / 2 (2)	18-Mar-1928 ¹⁵	Tela, Honduras ^{13,14} / Tropical Asia / - / - / 13DI; 11CIV	Barbour 1928
<i>Sandoricum koetjape</i> (Burm. f.) Merr., Meliaceae / 1 (0)	18-Mar-1928 ¹⁵	Tela, Honduras ^{13,14} / Malaysia to New Guinea / - / - / Unknown	Barbour 1928
<i>Schomburgkia thompsoniana</i> Rchb. f. [<i>Myrmecophilla thompsoniana</i> (Rchb. f.) Rolfe], Orchidaceae / 1 (0)	31-Mar-1933	Hope Gardens, Jamaica; 10-Mar-1933 ⁸ / Cayman Islands / <u>102675</u> / <i>Fairchild 3057</i> / Seboruco	Fairchild 1933
<i>Stachytarpheta grandiflora</i> P.H.Cardoso & Salimena, Verbenaceae / 1 (0)	11-Feb-1933	Trinidad Botanic Garden; 15-Feb-1932 ⁵ / Brazil / <u>98561</u> / <i>Fairchild 2906</i> / Unknown	
<i>Stegnosperma halimifolium</i> Benth., Stegnospermataceae / 1 (0)	11-Feb-1933	Beata Island, Dominican Republic; 18-Jan-1932 ⁵ / Western and Central Mexico / <u>97580</u> / <i>Fairchild 2606</i> / Unknown	
<i>Stelechocarpus burahol</i> (Blume) Hook.f. & Thomson, Annonaceae / 1 (0)	10-Jan-1928	Diokjakarta, Java; 12-Jun-1926 ⁶ / Southern Malaysia, Borneo / <u>67491</u> / <i>Fairchild 765</i> / Unknown	Dorsett 1928
<i>Sterculia lanceolata</i> Cav., Malvaceae / 1 (0)	10-Jan-1928	Peradeniya Botanic Garden, Sri Lanka; 9-Jun-1926 ⁶ / China to Indo-China / <u>70764</u> / <i>Fairchild 880</i> / 12EIII	Dorsett 1928
<i>Sterculia tomentosa</i> Guill & Perr. [<i>S. setigera</i> Delile], Malvaceae / 1 (0)	10-Jan-1928	Georgetown, Gambia; 10-Jan-1927 ⁶ / Tropical Africa / <u>70951</u> / <i>Fairchild 976</i> / 10DI	Dorsett 1928
<i>Sterculia tragacantha</i> Lindl., Malvaceae / 3 (1)	10-Jan-1928	Cariacou and Konakry, Guinea; 16-Jan-1927 ⁶ / West Tropical Africa to Tanzania and Zambia / <u>70922</u> / <i>Fairchild 992</i> / 10DIII	Dorsett 1928
<i>Stigmaphyllon lingulatum</i> (Poir) Small [<i>S. emarginatum</i> (Cav.) A.Juss.], Malpighiaceae / 1 (0)	30-Jul-1933	Sandy Ground, Anguilla; 16-Mar-1932 ⁵ / West Indies / <u>98883</u> / <i>Fairchild 3850</i> / Unknown	
<i>Stromanthe thalia</i> (Vell.) J.M.A.Braga or S.tonckat (Aubl.) Eichler, Marantaceae / 1 (0)	10-Jan-1928	Peradeniya Botanic Garden, Sri Lanka ^{6,9} / Brazil / <u>70782</u> / <i>Fairchild 900</i> / Unknown	Dorsett 1928

<i>Strophanthus sarmentosus</i> DC., Apocynaceae / 1 (0)	10-Jan-1928	Jalon Mountains, Ghana; 10-Mar-1927 ⁶ / West Tropical Africa to Uganda / <u>73866</u> / <i>Fairchild 1271</i> / Unknown	Dorsett 1928
<i>Strychnos nux-vomica</i> L., Loganiaceae / 6 (5)	27-Apr-1929 ³²	St. Vincent Botanic Garden / India to Southeastern Asia / - / - / 14EIV; 11DI; 14EI; 10DIII, 10CIV	
<i>Styloma pacifica</i> (Seem. & H.Wendl.) O. F. Cook [<i>Pritchardia pacifica</i> Seem. & H.Wendl.], Arecaceae / 1 (0)	31-Jul-1931	Coconut Grove, Florida; originally collected in Trinidad Botanic Garden; 1929 ^{16,18} / Tonga Islands / <u>80192</u> / - / Unknown	
<i>Styloma pacifica</i> (Seem. & H.Wendl.) O. F. Cook [<i>Pritchardia pacifica</i> Seem. & H. Wendl.], Arecaceae / 1 (0)	28-Jan-1932	Coconut Grove, Florida; originally collected in Trinidad Botanic Garden; 1929 ^{16,18} / Tonga Islands / <u>80192</u> / - / Unknown	
<i>Styloma pacifica</i> (Seem. & H.Wendl.) O. F. Cook [<i>Pritchardia pacifica</i> Seem. & H.Wendl.], Arecaceae / 1 (0)	Apr-1929	Unknown / Tonga Islands / - / - / Unknown	Barbour 1929
<i>Swartzia grandiflora</i> Willd. [<i>S. simplex</i> (Sw.) Spreng.], Fabaceae / 1 (1)	14-Apr-1929	Dominica ¹⁷ / West Indies, Central and South America / - / - / 10CII	Barbour 1929
<i>Swartzia simplex</i> (Sw.) Spreng., Fabaceae / 1 (0)	14-Apr-1929	Trinidad ⁴ / West Indies, Central and South America / - / - / 10CII	
<i>Synsepalum dulcificum</i> (Schumach. & Thonn.) Daniell, Sapotaceae / 1 (0)	10-Jan-1928	Victoria Botanic Garden, Cameroon; 10-Feb-1927 ⁶ / West and Central Tropical Africa / <u>73071</u> / <i>Fairchild 1173</i> / Unknown	Dorsett 1928
<i>Synsepalum dulcificum</i> (Schumach. & Thonn.) Daniell, Sapotaceae / 1 (0)	1-Apr-1933	Victoria Botanic Garden, Cameroon; 10-Feb-1927 ⁶ / West Africa / <u>73071</u> / <i>Fairchild 1173</i> / Unknown	Fairchild 1933
<i>Tabernaemontana citrifolia</i> L., Apocynaceae / 1 (0)	11-Feb-1933	Nassau, The Bahamas; 12-Jan-1932 ⁵ / Eastern and Southeastern Mexico to Caribbean / <u>97898</u> / <i>Fairchild 2595</i> / Unknown	
<i>Talinum triangulare</i> (Jacq) Willd. [<i>T. fruticosum</i> (L.) Juss.], Talinaceae / 1 (0)	Mar-1928	Tela, Honduras ^{13,14} / Tropical and Subtropical America / - / - / Unknown	Barbour 1928
<i>Tetrapleura tetraptera</i> (Schumach. & Thonn.) Taub., Fabaceae / 1 (0)	10-Jan-1928	Konakry to Fore Cariat, Guinea; 16-Jan-1927 ⁶ / West Tropical Africa to Angola and Kenya / <u>72946</u> / <i>Fairchild 1133</i> / Unknown	Dorsett 1928
<i>Theobroma cacao</i> L., Malvaceae / 1 (1)	18-Mar-1928	Tela, Honduras ³ / Neotropics / - / - / 12CIII	Barbour 1928
<i>Thrinax parviflora</i> Sw., Arecaceae / 1 (0)	Apr-1929	Dominica ¹⁷ / Jamaica / - / - / Unknown	Barbour 1929
<i>Thrinax sp.</i> , Arecaceae / 1 (1)	30-Jul-1933	Georgetown, Guyana; 4-Mar-1932 ⁵ / Florida, Mexico, Honduras, Caribbean / <u>97918</u> / <i>Fairchild 3689</i> / 15EII	
<i>Thrinax sp.</i> , Arecaceae / 2 (2)	30-Jul-1933	Basseterre, St. Kitts; 24-Jan-1932 ⁵ / Florida, Mexico, Honduras, Caribbean / <u>96491</u> / <i>Fairchild 2636</i> / Unknown 16EI, 15EII	
<i>Thrinax sp.</i> , Arecaceae / 4 (4)	11-Feb-1933	Paramaribo, Suriname; 4-Mar-1932 ⁵ / Florida, Mexico, Honduras, Caribbean / <u>98503</u> / <i>Fairchild 3689</i> / 13EIII, 16EI	

<i>Tillandsia</i> sp., Bromeliaceae / 1 (0)	31-Mar-1933	Georgetown, Grand Cayman; 29-Mar-1933 ^{10,12} / USA to South America / <u>102684</u> / <i>Fairchild 3148</i> / Shade House	Fairchild 1933
<i>Tilimia</i> sp. [<i>Aiphanes</i> sp.], Arecaceae / 1 (0)	11-Feb-1933	Trinidad; 13-Feb-1932 ⁵ / Tropical America / <u>97549</u> / <i>Fairchild 2829</i> / Unknown	
<i>Trimezia martinicensis</i> (Jacq.) Herb., Iridaceae / 1 (0)	11-Feb-1933	St. Cloud, Guadeloupe; 13-Mar-1932 ⁵ / Lesser Antilles, Central and South America / <u>98885</u> / <i>Fairchild 3803</i> / Unknown	
<i>Vangueria madagascariensis</i> J.F.G.Gmel., Rubiaceae / 1 (0)	11-Feb-1933	Guadeloupe; 13-Mar-1932 ⁵ / Tropical Africa / <u>98886</u> / <i>Fairchild 3762</i> / Unknown	
<i>Vitex parviflora</i> A. Juss., Lamiaceae / 1 (1)	24-Mar-1928	Tela, Honduras ¹³ / Philippines to Lesser Sunda Islands / - / - / 12EIII	Barbour 1928

¹Name reported in the Cienfuegos Botanic Garden records is indicated, accepted name is shown inside parenthesis / Total number of individuals that were introduced through Utowana expeditions is indicated, and number of these individuals that are currently grown at CBG are noted inside parentheses.

²Geographical location of individuals associated with the Utowana expeditions as they are/were arranged in the living collections CBG. See Figure 2 for details regarding the grid system used to identify the plots of CBG. The “Shade House” is located in plot 13CII. The area known as “Seboruco” is not assigned to a particular plot, but it is located between plots 10H and 11H.

³Five of the eight Utowana expeditions to the Caribbean region (Table 1) visited Cienfuegos and brought plant material to CBG. These five expeditions are coded as: Dorsett 1928: Utowana expedition that took place between January 3 and February 1, 1928, itinerary is shown in Figure 11, and Palemon Dorsett was its leader. Barbour 1928: Utowana expedition that took place between February 10 and April 4, 1928, itinerary is shown in Figure 11, and Thomas Barbour was its leader. Barbour 1929: Utowana expedition that took place between February 2 and April 15, 1929, itinerary is shown in Figure 12, and Thomas Barbour was its leader. Barbour 1931: Utowana expedition that took place between February 3 and May 4, 1931, itinerary is shown in Figure 13, and Thomas Barbour was its leader. Fairchild 1933: Utowana expedition that took place between February 16 and April 7, 1933, itinerary is shown in Figure 15, and David Fairchild was its botanical leader.

⁴It is likely that this material was collected in Trinidad and Tobago (March 11–14) during the 1929 expedition of Utowana before she reached Cienfuegos (April 13–16).

⁵Material collected during the 1931–1932 plant exploration expedition of Utowana to the Caribbean Islands and Guianas. Expedition was led by David Fairchild.

⁶Material collected during the 1925–1927 plant exploration expedition of Utowana to the Old World. Note that the Asia portion of this expedition was undertaken on commercial passenger boats because Utowana’s engine needed to be repaired.

⁷Material collected during the 1925–1927 plant exploration expedition of Utowana to the Old World that was sent directly from Sri Lanka or Cameroon to CBG by David Fairchild. Notice that the Asia portion of this expedition was undertaken on commercial passenger boats because Utowana’s engine needed to be repaired.

⁸It is likely that this material was collected in Jamaica (March 5–11) during the 1933 expedition of Utowana before she reached Cienfuegos (March 30 –Apr-3). Expedition was led by David Fairchild.

⁹There is no provenance information for this introduction in the records of CBG. Origin of the sample was inferred through the study of David Fairchild’s collection books and the germplasm inventories of the USDA.

¹⁰It is likely that this material was collected in Grand Cayman (March 29) during the 1933 expedition of Utowana before she reached Cienfuegos (March 30 – April 3). Expedition was led by David Fairchild.

¹¹The originally assigned name is likely incorrect and instead more likely refers to the Cayman Island endemic *Dendrophyllax fawcettii* Rolfe.

¹²Material collected during the 1933 expedition of Utowana to the Caribbean Islands and Panama. Expedition was led by David Fairchild.

¹³It is likely that this material was collected in Lancetilla Botanic Garden, Honduras (March 16–20) during the 1928 expedition of Utowana before she reached Cienfuegos (March 30 – April 3). Expedition was led by Thomas Barbour.

¹⁴The CBG records indicate that the sample was sent by Wilson Popenoe via T. Barbour during the 1928 expedition of Utowana before she reached Cienfuegos (March 30 – April 3). Popenoe was an American botanist who became the director of Lancetilla Botanic Garden, Tela. Expedition was led by Thomas Barbour.

¹⁵Date reported in the CBG records refers to the collection date and not to the date when the species was introduced into CBG.

- ¹⁶It is likely that this material came from gardens of The Kampong, this was the private residence of David Fairchild, located in Coconut Grove, Miami, Florida. Currently this site is owned and operated by US National Tropical Botanic Garden.
- ¹⁷It is likely that this material was collected in the Lesser Antilles (February 19 --March 5) during the 1929 expedition of Utowana before she reached Cienfuegos (April 13–15). Expedition was led by Thomas Barbour.
- ¹⁸It is likely that this material was collected in Nassau (February 3) during the 1931 expedition of Utowana before she reached Cienfuegos (February 8–10). Expedition was led by Thomas Barbour.
- ¹⁹It is likely that this material was collected in The Bahamas (February 1 – 27) during the 1933 expedition of Utowana before she reached Cienfuegos (March 30 --April 3). Expedition was led by David Fairchild.
- ²⁰We could not locate the epithet “warszewiczii” in the consulted taxonomic literature, because this name appears to refer to a cultivar.
- ²¹It is likely that this material was collected in the island of San Andrés, Colombia (March 13–16) during the 1933 expedition of Utowana before she reached Cienfuegos (March 30 --April 3). Expedition was led by David Fairchild.
- ²²During the 1929 expedition of Utowana, she visited Cienfuegos between April-13–15. It appears there was a mistake in the introduction date reported in the CBG records. Expedition was led by Thomas Barbour.
- ²³In 1930 Utowana did not visit the Caribbean Islands. However, in 1929 Barbour explored the region and visited Dominica between February 27 and March 1. It is likely that this accession was sent to CBG from Harvard University in 1930.
- ²⁴The date found in the CBG records suggests that the material was introduced into CBG in 1928. We believe that this IS an error and that this species reached Cienfuegos on April 15, 1929.
- ²⁵We could not locate the epithet “alba” in the consulted taxonomic literature, because this name appears to refer to a cultivar.
- ²⁶In May 1928 Utowana did not visit Cienfuegos. However, in 1928 Barbour visited Tela between March 7 and 8. It is likely that this collection was made during this visit, and that it was collected in Lancetilla Botanic Garden. However, it was shipped to CBG from Harvard University in May 1928.
- ²⁷We could not locate the epithet “waringiana” in the consulted taxonomic literature, because this name appears to refer to a cultivar.
- ²⁸We could not locate the epithet “collinsii” in the consulted taxonomic literature, because this name appears to refer to a cultivar.
- ²⁹It is likely that this material was collected in Panama (March 17–26) during the 1933 expedition of Utowana before she reached Cienfuegos (March 30 – April 3). Expedition was led by David Fairchild.
- ³⁰The CBG records do not have details on a USDA accession number or provenance. However, we believe that this entry refers to a collection that David Fairchild made during the 1925–1927 plant exploration expedition of Utowana to the Old World.
- ³¹In 1930 Utowana did not visit the Caribbean Islands. Barbour visited Cienfuegos and cruised Central America and Mexico (including Baja California) on board this boat in 1931. We have interpreted this accession as collected during the 1931 expedition of Utowana to the region.
- ³²On April 27, 1929 Utowana did not visit Cienfuegos. However, in 1929 Barbour explored the region on board this vessel, and he explored St. Vincent between March 7 and 8. It is likely that this collection was made during this visit but it was shipped to CBG in April 1929 from Harvard University.
- ³³Seeds of this collection were harvested at CBG and then distributed to other gardens or institutions of Cuba.